


규격/사양서

1. 개요	<table><tr><td>품명(Name)</td><td colspan="3">세미나실(강의실) 용 대형 LED 스크린</td></tr><tr><td>수량(Quantity)</td><td>1 ea</td><td>제조사(Manufacturer)</td><td></td></tr></table>			품명(Name)	세미나실(강의실) 용 대형 LED 스크린			수량(Quantity)	1 ea	제조사(Manufacturer)	
	품명(Name)	세미나실(강의실) 용 대형 LED 스크린									
수량(Quantity)	1 ea	제조사(Manufacturer)									
2. 용도 및 특징	용도: 해당 기기를 설치할 Jupiter Seminar Room은 약 50에서 70명 가량을 소화할 수 있는 대형 세미나실(강의실)이며 바로 옆 회의실인 Io meeting room과로 연결해서 사용할 수 있어서 추가적으로 30명 가량을 더 수용할 수 있다. 5 m 이상의 넓은 너비로 대형스크린이 요구되는 세미나실이지만, 통창으로 구성된 공간이어서 빔프로젝터를 이용하기에는 빛의 간섭으로 사용이 제한적이다. 구입하고자 하는 제품은 현재 출시되고 있는 대형 LED 스크린 중 1패널로 이루어진 가장 큰 크기(136 inch)이며 빔프로젝트와 다르게 통창에서 들어오는 햇빛의 간섭이 적어서 해당 세미나실에 적합한 제품이다. 연구단에서 주기적으로 국내외 전문가들을 초빙하여 세미나를 개최하고 있으며, 내부적으로 연구 내용 발표 및 최신 연구 동향에 관한 의견을 나누는 자리를 마련하여 해당기기를 활발히 사용할 예정이며, 우리 연구단의 연구 수행을 지원하기 위하여 그 필요성이 상당히 높다.										
3. 기기구성	1. 136 inch 대형 LED 스크린 (1 ea)										
4. 규격 및 사양	136 inch 대형 LED 스크린 - 캐비넷: Die-casting aluminum cabinet - 캐비넷사이즈(mm) : 1502.3 x 846.05 - 캐비넷구성(EA) : 2 x 2 = 4pcs - 모듈사이즈(mm) : 250 x 281.25 - 모듈구성(EA) : 12 x 6 = 72 pcs - 전체 무게 : 131Kg 이하 - 밝기(nit) : 500 - 미디어전체사이즈(mm) : 3,004.6 x1692.1 - 해상도(pixels) : 1920 x 1080 이상 - 픽셀 피치: 1.56 mm										


	- Refresh rate: 2,880Hz - 빌트인 스피커 - 무선 화면 공유 가능 - 벽면 설치 형 벽면 브라켓 설치 가이드 - 벽면 설치시 정식 가이드방법에 의거하여 설치
5. 설치, 교육 및 사 후관리	설치, 시험가동, 성능검사, 장비교육, 검수를 마친 상태를 납품으로 정의한다.
6. 품질보증 기간	설치 및 검수 후 1 년
7. 납기일자	계약 후 일주일 이내
8. 계약업체 제출서 류	제조사 정품공급 및 기술지원 확약서
9. 참가자격	
10.참가자격 제출서 류	
11.기타사항	

[벽면 브라켓 설치 가이드]


Step1. Install the left plate with connection plate .



Step2. Install the right plate with connection plate.





Step3. Connect the left assembly and right assembly by intermediate plate.



Use 16pcs M3X12 screw (item 7), to install the left assembly and right assembly together.

Step4. Double check the dimension after assembling. Install the mounting plate to the desired location and secure them with 32 pcs M8x60 explosion screws.

(The following locations which should be installed the screws are marked in circle. The depth is about 60-65mm)



Step5. Remove the bottom connection plate after installation.

